

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁵ : A61K 9/20, 9/00	A1	(11) International Publication Number: WO 92/17164 (43) International Publication Date: 15 October 1992 (15.10.92)
--	----	---

(21) International Application Number: PCT/US92/01981

(22) International Filing Date: 13 March 1992 (13.03.92)

(30) Priority data: 680,459 4 April 1991 (04.04.91) US

(71) Applicant: THE PROCTER & GAMBLE COMPANY
(US/US): One Procter & Gamble Plaza, Cincinnati, OH 45202 (US).(72) Inventors: UPSON, James, Grigg : 11208 Springfield Pike,
Springdale, OH 45246 (US). RUSSELL, Carmelita,
Macklin : 607 Vincennes Court, Cincinnati, OH 45231
(US).(74) Agent: REED, T. David; The Procter & Gamble Com-
pany, Ivorydale Technical Center, 5299 Spring Grove
Avenue, Cincinnati, OH 45217-1067 (US).(81) Designated States: AT, AT (European patent), AU, BB, BE
(European patent), BF (OAPI patent), BG, BJ (OAPI
patent), BR, CA, CF (OAPI patent), CG (OAPI patent),
CH, CH (European patent), CI (OAPI patent), CM
(OAPI patent), CS, DE, DE (European patent), DK,
DK (European patent), ES, ES (European patent), FI,
FR (European patent), GA (OAPI patent), GB, GB (Eu-
ropean patent), GN (OAPI patent), GR (European pa-
tent), HU, IT (European patent), JP, KP, KR, LK, LU,
LU (European patent), MC (European patent), MG, ML
(OAPI patent), MN, MR (OAPI patent), MW, NL, NL
(European patent), NO, PL, RO, RU, SD, SE, SE (Eu-
ropean patent), SN (OAPI patent), TD (OAPI patent), TG
(OAPI patent).

Published

With International search report.

(54) Title: INGESTIBLE PHARMACEUTICAL COMPOSITIONS FOR TREATING UPPER GASTROINTESTINAL
TRACT DISTRESS

(57) Abstract

Ingestible pharmaceutical compositions comprising pharmaceutical actives useful for treating upper gastrointestinal tract distress (e.g., antacid agents) and 3-1-menthoxy propane 1,2-diol in amounts effective of providing a cooling sensation to the throat.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MG	Madagascar
AU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MR	Mongolia
BE	Belgium	GA	Gabon	MS	Mauritania
BP	Burkina Faso	GB	United Kingdom	MW	Malawi
BG	Bulgaria	GN	Guinea	NL	Netherlands
BJ	Benin	GR	Greece	NQ	Norway
BR	Brazil	HU	Hungary	PL	Poland
CA	Canada	IT	Italy	RO	Romania
CF	Central African Republic	JP	Japan	RU	Russian Federation
CG	Congo	KP	Democratic People's Republic of Korea	SD	Sudan
CH	Switzerland	KR	Republic of Korea	SE	Sweden
CI	Côte d'Ivoire	LI	Liechtenstein	SH	Senegal
CM	Cameroon	LK	Sri Lanka	SU	Soviet Union
CR	Costa Rica	LU	Luxembourg	TD	Chad
DE	Germany	MC	Monaco	TE	Togo
DK	Denmark			US	United States of America

-1-

INGESTIBLE PHARMACEUTICAL COMPOSITIONS
FOR TREATING UPPER GASTROINTESTINAL
TRACT DISTRESS

5

BACKGROUND OF THE INVENTION

The present invention relates to ingestible pharmaceutical compositions comprising pharmaceutical actives useful for treating upper gastrointestinal tract distress and 3-l-menthoxy propane 1,2-diol ("MPD") in amounts effective for providing a cooling sensation in the throat.

10
15
20
25
30
Pharmaceutical compositions, such as antacids, useful for treating upper gastrointestinal tract distress (such as heartburn, indigestion, stomachache, etc.) are widely used. They vary depending on the active ingredients, and increasingly differ in the flavors, texture and even forms. The excipients for such compositions are chosen not only as appropriate for the dose form, but also to provide the best possible aesthetics for the compositions, including texture, flavor, after-taste, etc. Depending on the active used, and to some extent the excipients utilized, the time for the therapeutic effect of the active ingredient to be meaningful to the consumer will vary. Frequently, however, the time when the consumer actually begins to receive the benefit of the active ingredient and the time when the consumer perceives the product as starting to "work" are different. Dose form, flavorants, texture, etc. probably all contribute at least in part to this perception. Obviously, for the consumer in need of relief for upper gastrointestinal tract distress, perceiving that the product is working as quickly as possible after ingestion is of great benefit in addition to the true therapeutic relief eventually provided by the active ingredient.

In spite of the large amount of research directed to providing faster acting compositions for treating upper gastrointestinal distress, there continues to be a need for compositions

35

-2-

which not only do act faster but also which are perceived by consumers as working faster. Surprisingly, it has been discovered that including the coolant MPD (which is very effective for providing a cooling sensation to the throat) results in the perception by the consumer that the pharmaceutical composition is working. Thus, while this coolant has no apparent therapeutic activity, the signal it provides to the consumer in need of fast relief of upper gastrointestinal distress is of great benefit for the perception that relief is already being provided.. Even more surprising is that this improved signal of relief is recognized when compositions according to the present invention are compared against similar compositions containing menthol (which has a noticeably different cooling profile from MPD).

Thus, it is an object of the present invention to provide ingestible pharmaceutical compositions containing a pharmaceutical active useful for treating upper gastrointestinal tract distress (e.g., upset stomach, heartburn, indigestion) which are perceived as providing faster relief and/or greater perceived efficacy and/or longer duration of activity. Furthermore, an object is to provide methods for treating upper gastrointestinal distress by administering pharmaceutical compositions according to the present invention.

These and other objects of the present invention will become readily apparent from the detailed description which follows.

All percentages and ratios used herein are by weight, and all measurements are made at 25°C, unless otherwise specified.

SUMMARY OF THE INVENTION

The present invention is directed to ingestible pharmaceutical compositions comprising: (a) a safe and effective amount of a pharmaceutical active useful for treating upper gastrointestinal tract distress; and (b) at least one excipient comprising an amount of 3-l-menthoxy propane 1,2-diol effective for providing a cooling sensation to the throat.

The present invention is also directed to methods for treating upper gastrointestinal tract distress. These methods comprise orally administering to a human patient in need of succ

treatment a safe and effective amount of a pharmaceutical active useful for treating upper gastrointestinal tract distress and an amount of 3-1-menthoxy propane 1,2-diol effective for providing a cooling sensation to the throat.

5

DETAILED DESCRIPTION OF THE INVENTION

The present invention relates to pharmaceutical composition comprising: (a) at least one pharmaceutical active useful for treating upper gastrointestinal tract distress (preferably ant-acid actives); and (b) at least one excipient comprising 3-1-menthoxy propane 1,2-diol (hereinafter "MPD") effective for providing a cooling sensation to the throat.

10

Pharmaceutical actives useful for treating upper gastrointestinal tract distress are those materials which are safe and effective when administered orally for treating disorders of the upper gastrointestinal tract (typically the stomach and/or esophagus) which result in symptoms of upper gastrointestinal tract distress (e.g., heartburn, stomachache, indigestion). Such actives include antacid agents and acid secretion prevention agents (e.g., H_2 receptor-blocking antiseecretory agents). Antacid agents include, for example, aluminum carbonate, aluminum hydroxide, aluminum phosphate, aluminum hydroxy-carbonate, dihydroxy aluminum sodium carbonate, aluminum magnesium glycinate, dihydroxy aluminum amino acetate, dihydroxy aluminum aminoacetic acid, calcium carbonate, calcium phosphate, aluminum magnesium hydrated sulfates, magnesium aluminate, magnesium aluminum silicates, magnesium carbonate, magnesium glycinate, magnesium hydroxide, magnesium oxide, magnesium trisilicate, sucralfate, and mixtures thereof. Examples of acid secretion prevention agents include cimetidine, ranitidine, famotidine, omeprazole, and mixtures thereof. Other useful pharmaceutical actives include bismuth-containing agents such as, for example, bismuth subsalicylate, bismuth aluminate, bismuth citrate, bismuth subcitrate, bismuth nitrate, bismuth subcarbonate, bismuth subgalate, and mixtures thereof. A particularly preferred bismuth salt is bismuth subsalicylate.

35

-4-

Preferred for use herein are antacid agents. Preferred antacid agents are aluminum hydroxide, magnesium hydroxide, dihydroxy aluminum sodium carbonate, calcium carbonate, and mixtures thereof. Most preferred is calcium carbonate.

5 The compositions of the present invention comprise a safe and effective amount of at least one pharmaceutical active useful for treating upper gastrointestinal tract distress. Typically the pharmaceutical active(s) comprise from about 1% to about 99%, by weight, of the pharmaceutical compositions of the present
10 invention, preferably from about 25% to about 60%, and most preferably from about 30% to about 50%.

The pharmaceutical compositions of the present invention also comprise an amount of MPD effective for providing a cooling sensation to the throat. This material is described in detail in
15 U.S. Patent 4,459,425, issued July 10, 1984 to Amano et al., incorporated herein by reference in its entirety. While not to be limited by theory, it is believed that the surprising benefits obtained by the use of MPD in the compositions of the present invention are the result of the unique cooling profile for this
20 compound, which is very noticeable in the throat. MPD is commercially available, being sold by Takasago Perfumery Co., Ltd., Tokyo, Japan.

In addition, excipients other than the MPD may optionally be included in the present compositions. The term "excipients", as
25 used herein, means one or more compatible solid or liquid filler diluents or encapsulating substances which are suitable for oral administration to a human. The term "compatible", as used herein, means that the components of the compositions of the present invention are capable of being commingled with the pharmaceutical
30 active, and with each other, in a manner such that there is no interaction which would substantially reduce the pharmaceutical efficacy of the compositions under ordinary use situations. Excipients must, of course, be of sufficiently high purity and sufficiently low toxicity to render them suitable for adminis-
35 tration to the human being treated.

Some examples of substances which can serve as excipients in addition to the MPD are sugars such as lactose, glucose and sucrose; starches such as corn-starch and potato starch; cellulose and its derivatives such as sodium carboxymethylcellulose, ethyl-cellulose, cellulose acetate; powdered tragacanth; malt; gelatin; talc; stearic acid; magnesium stearate; calcium sulfate; vegetable oils such as peanut oil, cottonseed oil, sesame oil, olive oil, corn oil and oil of theobroma; polyols such as propylene glycol, glycerine, sorbitol, mannitol, and polyethylene glycol; agar; and alginic acid; as well as other non-toxic compatible substances used in pharmaceutical formulations. Wetting agents and lubricants such as sodium lauryl sulfate, as well as coloring agents, flavoring agents, sweetening agents (including nonnutritive sweeteners such as aspartame and saccharin), tableting agents, stabilizers, antioxidants, cooling agents, and preservatives, can also be present. Other compatible pharmaceutical additives and actives which are not pharmaceutical actives useful for treating upper gastrointestinal tract distress (e.g., NSAID drugs; pain killers; muscle relaxants) may be included in the compositions of the present invention. Also, it is to be noted that in addition to the MPD, other materials having cooling properties may optionally be included within the excipients, such as menthol, menthol-like compounds such as N-ethyl-p-menthane-3-carboxamide ("HS-3", supplied by Sterling Drugs), and mixtures thereof.

The choice of excipients to be used in conjunction with the pharmaceutical active of the present compositions is basically determined by the dose form for the compositions. The preferred dosage forms are liquid solutions, liquid suspensions, tablets, especially chewable tablets, capsules and the like, comprising a safe and effective amount of the pharmaceutical actives. Excipients suitable for the preparation of dosage forms for oral administration are well-known in the art. Their selection will depend on secondary considerations like taste, cost, shelf stability, which are not critical for the purposes of the present invention, and can be made without difficulty by a person skilled in the art.

The excipients employed in the present ingestible compositions are used at concentrations sufficient to provide a practical size to dosage relationship. Typically, excipients comprise from about 1% to about 99% by weight of the pharmaceutical compositions of the present invention, preferably from about 40% to about 75%, and most preferably from about 50% to about 70%. Additionally, the MPD typically comprises from about 0.01% to about 0.50% by weight of the pharmaceutical compositions of the present invention, preferably from about 0.02% to about 0.20%, and most preferably from about 0.04% to about 0.10%.

The present invention also relates to methods for treating upper gastrointestinal tract distress in humans. These methods comprise orally administering to a human in need of such treatment a safe and effective amount of a pharmaceutical active useful for treating upper gastrointestinal tract distress and an amount of MPD effective for providing a cooling sensation to the throat. Most preferred is administering a safe and effective amount of an ingestible pharmaceutical composition of the present invention.

The following examples further describe and demonstrate embodiments within the scope of the present invention. These examples are given solely for the purpose of illustration and are not to be construed as a limitation of the present invention as many variations thereof are possible without departing from the spirit and scope.

Example I

An ingestible pharmaceutical composition according to the present invention in the form of a chewable antacid tablet is prepared as follows:

-7-

	<u>Ingredients</u>	<u>Weight %</u>
	Granulated calcium carbonate ¹⁾	42.87%
	Magnesium stearate	2.50%
	Colored speckles	0.75%
5	Flavorants	0.78%
	MPD ²⁾	0.07%
	HS-33)	0.05%
	Aspartame	0.198%
	Sodium Saccharin	0.102%
10	Mannitol ⁴⁾	Q.S.
	1) Granulated calcium carbonate containing 93.3% calcium carbonate, 6.3% glucose and 0.4% gelatin; supplied by Whittaker Clark & Daniels, Philadelphia, Pa.	
15	2) 3-1-menthoxy propane 1,2-diol, supplied by Takasago Perfumery Co., Ltd., Tokyo, Japan.	
	3) N-ethyl-p-menthane-3-carboxamide, supplied by Sterling Drugs.	
	4) Granulate mannitol supplied by ICI Americas, Inc., Wilmington, Delaware.	

20 The above ingredients are dry blended in a mixer until homogeneous, and then direct compressed in a tableting machine to approximately 8.5 Strong Cobb units hardness to produce chewable antacid tablets each weighing 1.25g (500mg calcium carbonate per tablet).

25 Ingestion of one or two of these tablets by a human subject suffering from heartburn, acid indigestion and upset stomach associated with these symptoms provides effective relief for this upper gastrointestinal tract distress.

WHAT IS CLAIMED IS:

30

35

1. Ingestible pharmaceutical compositions comprising:
 - (a) a safe and effective amount of at least one pharmaceutical active useful for treating upper gastrointestinal tract distress; and
 - (b) at least one excipient comprising an amount of 3-1-menthoxy propane 1,2-diol effective for providing a cooling sensation to the throat.
2. Ingestible pharmaceutical compositions according to Claim 1 wherein the pharmaceutical active is selected from the group consisting of antacid agents, acid secretion prevention agents, bismuth-containing agents, and mixtures thereof.
3. Ingestible pharmaceutical compositions comprising:
 - (a) from 1% to 99% of at least one pharmaceutical active useful for treating upper gastrointestinal tract distress; and
 - (b) from 1% to 99% of at least one excipient comprising an amount of 3-1-menthoxy propane 1,2-diol effective for providing a cooling sensation to the throat.
4. Ingestible pharmaceutical compositions according to any of Claims 1-3 wherein the pharmaceutical active is selected from the group consisting of aluminum carbonate, aluminum hydroxide, aluminum phosphate, aluminum hydroxy-carbonate, dihydroxy aluminum sodium carbonate, aluminum magnesium glycinate, dihydroxy aluminum amino acetate, dihydroxy aluminum aminoacetic acid, calcium carbonate, calcium phosphate, aluminum magnesium hydrated sulfates, magnesium aluminate, magnesium aluminosilicates, magnesium carbonate, magnesium glycinate, magnesium hydroxide, magnesium oxide, magnesium trisilicate, sucralfate, cimetidine, ranitidine, famotidine, omeprazole, bismuth subsalicylate, bismuth

-9-

aluminate, bismuth citrate, bismuth subcitrate, bismuth nitrate, bismuth subcarbonate, bismuth subgalate, and mixtures thereof.

5. Ingestible pharmaceutical compositions according to Claim 4 wherein the excipient further comprises one or more excipients selected from the group consisting of wetting agents, lubricants, tableting agents, flavoring agents, sweetening agents, coloring agents, stabilizers, antioxidants, cooling agents, preservatives, and mixtures thereof.
6. Ingestible pharmaceutical compositions comprising:
 - (a) from 25% to 60% of at least one pharmaceutical agent useful for treating upper gastrointestinal tract distress selected from the group consisting of aluminum carbonate, aluminum hydroxide, aluminum phosphate, aluminum hydroxy-carbonate, dihydroxy aluminum sodium carbonate, aluminum magnesium glycinate, dihydroxy aluminum amino acetate, dihydroxy aluminum aminoacetic acid, calcium carbonate, calcium phosphate, aluminum magnesium hydrated sulfates, magnesium aluminate, magnesium aluminosilicates, magnesium carbonate, magnesium glycinate, magnesium hydroxide, magnesium oxide, magnesium trisilicate, sucralfate, cimetidine, ranitidine, famotidine, omeprazole, bismuth subsalicylate, bismuth aluminate, bismuth citrate, bismuth subcitrate, bismuth nitrate, bismuth subcarbonate, bismuth subgalate, and mixtures thereof;
 - (b) from 40% to 75% of excipients comprising an amount of 3-1-menthoxy propane 1,2-diol effective for providing a cooling sensation to the throat, and at least one other excipient selected from the group consisting of wetting agents, lubricants, coloring agents, flavoring agent, sweetening agents, tableting agents, stabilizers, antioxidants, cooling agents, preservatives, and mixtures thereof.


-10-

7. Ingestible pharmaceutical compositions according to Claim 8 wherein the pharmaceutical active is selected from the group consisting of aluminum carbonate, aluminum hydroxide, aluminum phosphate, aluminum hydroxy-carbonate, dihydroxy aluminum sodium carbonate, aluminum magnesium glycinate, dihydroxy aluminum amino acetate, dihydroxy aluminum aminoacetic acid, calcium carbonate, calcium phosphate, aluminum magnesium hydrated sulfates, magnesium aluminate, magnesium aluminosilicates, magnesium carbonate, magnesium glycinate, magnesium hydroxide, magnesium oxide, magnesium trisilicate, sucralfate, and mixtures thereof, and wherein further the 3-1-menthoxy propane 1,2-diol comprises from 0.01% to 0.50% by weight of the composition.
8. Ingestible pharmaceutical compositions according to any of Claims 1-7 wherein the pharmaceutical active comprises calcium carbonate.
9. Ingestible pharmaceutical compositions according to any of Claims 1-8 wherein the 3-1-menthoxy propane 1,2-diol comprises from 0.02% to 0.20% by weight of the composition.
10. Ingestible pharmaceutical compositions according to any of Claims 1-9 wherein the excipients comprise at least one cooling agent selected from menthol, menthol-like compounds, and mixtures thereof.
11. Compositions according to any of Claims 1-10 comprising the cooling agent N-ethyl-p-menthane-3-carboxamide.
12. Ingestible pharmaceutical compositions according to any of Claims 1-11 in unit dose form.

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/US 92/01981

I. CLASSIFICATION OF SUBJECT MATTER (If several classifications apply, indicate only) According to International Patent Classification (IPC) or to both National Classification and IPC Int.Cl. 5 A61K9/20; A61K9/00		
II. FIELDS SEARCHED Minimum Documentation Searched ²		
Classification System	Classification Symbols	
Int.Cl. 5	A61K	
Documentation Searched other than Minimum Documentation to the extent that such documents are included in the Fields Searched ³		
III. DOCUMENTS CONSIDERED TO BE RELEVANT⁴		
Category ⁵	Citation of Document, ⁶ with indication, where appropriate, of the relevant passages ¹⁰	Relevant to Claim No. ¹¹
Y	EP,A,0 080 148 (TAKASAGO PERFUMERY CO. LTD.) 1 June 1983 cited in the application see claim 1 see page 2, line 1 - line 5 see examples 1,5,6	1-8,12
Y	FR,A,2 127 011 (WILKINSON SWORD LIMITED) 13 October 1972 see claims 1,4 see page 1, line 1 - line 29 see page 1, line 35 - page 2, line 7 see page 2, line 17 - page 3, line 4 see page 5, line 20 - line 25 see page 10, line 4 - line 23 see example 17	1-8,12
<p>¹ Special categories of cited documents: ¹⁰</p> <p>^A document defining the general state of the art which is not considered to be of particular relevance</p> <p>^E earlier document but published on or after the international filing date</p> <p>^L document which may draw doubts as to priority claim(s) or which is cited to establish the particular date of another citation or other special reason (as specified)</p> <p>^O document relevant to an oral disclosure, use, exhibition or other means</p> <p>^P document published prior to the international filing date but later than the priority date stated</p> <p>^T later document published after the international filing date or priority date and not to be cited with the application, but cited to emphasize the principle or theory underlying the invention</p> <p>^X document of particular relevance the claimed invention aspect is restricted patent or claim is restricted to involve an inventive step</p> <p>^Y document of particular relevance the claimed invention aspect is restricted to involve an inventive step when the document is combined with one or more other such documents, each contribution being obvious to a person skilled in the art</p> <p>^Z document neither of the above patent family</p>		
IV. CERTIFICATION		
Date of the Actual Completion of the International Search	Date of Mailing of the International Search Report	
25 JUNE 1992	21.07.92	
International Searching Authority	Signature of Authorised Officer	
EUROPEAN PATENT OFFICE	VENTURA AHAT A. 	

II. DOCUMENTS CONSIDERED TO BE RELEVANT

(CONTINUED FROM THE SECOND SHEET)

Category *	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No.
A	US, A, 4 060 091 (HUGH R. WATSON ET AL.) 29 November 1977 see claims 1,5	11

**ANNEX TO THE INTERNATIONAL SEARCH REPORT
ON INTERNATIONAL PATENT APPLICATION NO. US 9201981
SA 59548**

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are not contained in the European Patent Office EDP file as the European Patent Office is in no way liable for these particulars which are merely given for the purpose of information. 25/06/92

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP-A-0080148	01-06-83	JP-C- 1382716	09-06-87
		JP-A- 58088334	26-05-83
		JP-B- 61048813	25-10-86
		US-A- 4459425	10-07-84
FR-A-2127011	13-10-72	AT-B- 335069	25-02-77
		AU-B- 457073	23-12-74
		AU-A- 3860572	09-08-73
		AU-B- 450078	07-06-74
		AU-A- 3860672	09-08-73
		BE-A- 778950	04-08-72
		BE-A- 778951	04-08-72
		CA-A- 968141	27-05-75
		CA-A- 1019551	25-10-77
		CH-A- 549952	14-06-74
		CH-A- 554648	15-10-74
		DE-A, B, C 2202535	17-08-72
		DE-A- 2203947	17-08-72
		FR-A, B 2127010	13-10-72
		GB-A- 1353381	15-05-74
		LU-A- 64713	30-06-72
		NL-A- 7201522	08-08-72
		NL-A- 7201524	08-08-72
		SE-B- 402404	03-07-78
		US-A- 4193936	18-03-80
		US-A- 4178459	11-12-79
		US-A- 4226988	07-10-80
		US-A- 4136163	23-01-79
		US-A- 4150052	17-04-79
		US-A- 4190643	26-02-80
US-A-4060091	29-11-77	US-A- 4136163	23-01-79
		US-A- 4190643	26-02-80

EP-A-0080148

For more details about this annex see Official Journal of the European Patent Office, No. 12/92

CA014238